


真庭シティホテルサンライズCLT棟 CLT壁の経年変化

0ヵ月


スギ (測定点1, 1F風除室西壁)

計測点	L	a	b
1	64.06	9.07	28.01
2	36.95	8.68	20.15
3	62.92	10.42	25.78
4	62.42	10.50	26.61
5	50.65	10.40	25.66
6	63.28	10.19	27.54
7	62.87	11.55	29.32
8	44.31	11.73	23.86
9	60.14	12.11	29.18




計測点	L	a	b
1	63.40	9.40	33.52
2	53.56	9.02	27.88
3	62.58	8.78	32.52
4	62.41	9.28	32.97
5	59.15	8.47	30.74
6	62.51	8.99	34.09
7	62.30	9.25	32.50
8	56.10	7.67	29.75
9	57.59	8.34	32.42

35ヵ月後




色差とLab値



0ヵ月



スギ (測定点2, 1F風除室東壁)

計測点	L	a	b
1	42.81	9.10	18.49
2	53.04	8.47	24.90
3	55.79	12.18	27.60
4	45.78	9.77	20.44
5	55.92	7.60	23.63
6	52.32	10.82	24.57
7	42.94	11.52	21.80
8	49.82	8.60	24.49
9	51.57	9.54	25.12



計測点	L	a	b
1	53.43	7.80	25.20
2	59.63	9.07	31.24
3	61.21	9.11	33.05
4	57.04	7.43	27.74
5	58.69	9.69	32.00
6	58.26	8.99	31.45
7	56.37	8.62	30.46
8	56.31	9.33	30.64
9	57.56	9.18	33.64


35ヵ月後



0ヵ月



スギ (測定点5, 2F本館連絡通路前床 ※計測点1~6は常時カーペット下)

計測点	L	a	b
1	47.28	11.77	21.39
2	45.01	10.69	19.47
3	45.92	12.40	20.86
4	65.81	6.18	27.51
5	69.04	5.86	27.17
6	69.31	5.54	26.14
7	55.69	11.95	24.13
8	60.55	12.70	27.05
9	50.33	13.76	23.69



計測点	L	a	b
1	47.89	10.89	24.64
2	45.61	10.49	22.92
3	43.39	12.50	22.55
4	67.12	7.76	39.88
5	65.16	8.10	39.26
6	67.67	6.85	39.16
7	54.25	10.29	31.12
8	51.88	9.14	27.63
9	44.79	10.92	24.38


35ヵ月後



0ヵ月



ヒノキ (測定点6, 2Fエントランス裏, ※日射少ない)

計測点	L	a	b
1	80.53	3.28	29.29
2	80.24	2.13	28.71
3	78.6	4.81	31.10
4	78.83	5.50	29.78
5	77.85	3.46	29.24
6	74.79	5.68	28.48
7	78.67	2.35	27.20
8	74.67	7.05	31.01
9	76.47	4.85	29.02



計測点	L	a	b
1	71.94	8.32	36.02
2	71.18	8.49	36.61
3	70.08	9.02	37.00
4	67.92	10.04	37.26
5	70.83	8.10	35.69
6	68.10	8.34	36.27
7	69.01	8.89	38.53
8	68.39	9.77	36.96
9	67.98	8.40	36.46


35ヵ月後



0ヵ月

ヒノキ (測定点7, 1F風除室内正面壁, 常時日射有)

計測点	L	a	b
1	79.38	2.01	27.91
2	77.17	3.52	28.86
3	68.59	9.21	30.26
4	76.51	5.20	29.05
5	81.00	0.17	27.03
6	70.40	6.33	29.00
7	74.32	7.39	28.50
8	78.70	3.71	27.59
9	67.78	7.79	29.22



計測点	L	a	b
1	65.25	11.96	41.25
2	67.61	10.91	40.19
3	62.07	13.17	42.33
4	66.11	10.45	39.92
5	69.51	9.84	38.85
6	64.20	12.64	41.58
7	66.69	8.51	38.85
8	68.94	7.89	38.44
9	58.93	13.86	42.67

35ヵ月後

